

# 2023 Health Plan Ratings Required HEDIS<sup>®</sup>, CAHPS<sup>®</sup> and HOS Measures

## Commercial & Medicaid:

HEDIS MY 2022 & CAHPS MY 2022 (Reporting Year 2023)

## Medicare:

HEDIS MY 2022 (Reporting Year 2023)

CAHPS MY 2021 (Reporting Year 2022)

HOS MY 2021 (Reporting Year 2022)

## 2023 HPR REQUIRED HEDIS, CAHPS AND HOS MEASURES

### Summary of Changes to Measure List:

#### July 26, 2023, Posting

- Clarified that the “Total” rate is used for the *Use of Imaging Studies for Low Back Pain (LBP)* measure.

#### July 14, 2023, Posting

- After reviewing the MY 2022 data, the *Pharmacotherapy for Opioid Use Disorder (POD)* measure was removed from 2023 HPR scoring for the Medicare product line due to insufficient data.

#### March 2023 Posting

- Retired the following measures from HPR (beginning with HPR 2023):
  - Claims Processing (*commercial*)
  - Rating of Specialist Seen Most Often (*Medicaid*)
  - Coordination of Care (*Medicaid*)

**Note:** These CAHPS measures were removed due to low response rates and inability to score them in prior HPR years.

#### April 2022 Posting

- Revised the following measures/indicators:

		Commercial	Medicare	Medicaid
<i>Replace the following measure/indicator:</i>	<i>With this measure/indicator:</i>			
Comprehensive Diabetes Care (CDC)–BP Control <140/90	Blood Pressure Control for Patients with Diabetes (BPD)	✓	✓	✓
Comprehensive Diabetes Care (CDC)–Eye Exams	Eye Exam for Patients with Diabetes (EED)	✓	✓	✓
Comprehensive Diabetes Care (CDC)–HbA1c Control <8%	Hemoglobin A1c Control for Patients with Diabetes (HBD)–HbA1c Control <8%	✓	✓	✓
Use of High-Risk Medications in Older Adults (DAE)–Rate 1	Use of High-Risk Medications in Older Adults (DAE)–Total Rate (Rate 3)		✓	

- Added the following measures:

	Measure Name	Commercial	Medicare	Medicaid
KED	Kidney Health Evaluation for Patients With Diabetes	✓	✓	✓
OSW	Osteoporosis Screening in Older Women		✓	
CWP	Appropriate Testing for Pharyngitis	✓ (currently in HPR)	✓	✓ (currently in HPR)
URI	Appropriate Treatment for Upper Respiratory Infection	✓ (currently in HPR)	✓	✓ (currently in HPR)
AAB	Avoidance of Antibiotic Treatment for Acute Bronchitis/ Bronchiolitis	✓ (currently in HPR)	✓	✓ (currently in HPR)
RDM*	Race/Ethnicity Diversity of Membership	✓	✓	✓

**\*Note:** For RDM scoring in the 2023 Ratings, NCQA will give organizations credit (an individual measure rating of 5) if the reported Direct Race **and** Direct Ethnicity are >0%. Organizations that do not report Direct Race and Direct Ethnicity >0% will receive an individual measure rating of “0.”

## HEDIS/CAHPS Measures Required for HP Accreditation—Commercial

HEDIS MY 2022 &amp; CAHPS MY 2022 (Reporting Year 2023)

Measure Name		Display Name	Weight*
<b>PATIENT EXPERIENCE</b>			
<b>Getting Care</b>			
	Getting Needed Care (Usually + Always)	Getting care easily	1.5
	Getting Care Quickly (Usually + Always)	Getting care quickly	1.5
<b>Satisfaction With Plan Physicians</b>			
	Rating of Personal Doctor (9 + 10)	Rating of primary care doctor	1.5
	Rating of Specialist Seen Most Often (9 + 10)	Rating of specialists	1.5
	Coordination of Care (Usually + Always)	Coordination of care	1.5
<b>Satisfaction With Plan and Plan Services</b>			
	Rating of Health Plan (9 + 10)	Rating of health plan	1.5
	Rating of All Health Care (9 + 10)	Rating of care	1.5
<b>PREVENTION AND EQUITY</b>			
<b>Children and Adolescent Well-Care</b>			
CIS	Childhood Immunization Status—Combination 10	Childhood immunizations	3
IMA	Immunizations for Adolescents—Combination 2	Adolescent immunizations	3
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents—BMI Percentile—Total	BMI percentile assessment	1
<b>Women's Reproductive Health</b>			
PPC	Prenatal and Postpartum Care—Timeliness of Prenatal Care	Prenatal checkups	1
	Prenatal and Postpartum Care—Postpartum Care	Postpartum care	1
PRS-E	Prenatal Immunization Status—Combination Rate	Prenatal immunizations	1
<b>Equity</b>			
RDM	Race/Ethnicity Diversity of Membership <i>(NEW MEASURE)</i>	Race and ethnicity of members	0.5
<b>Cancer Screening</b>			
BCS	Breast Cancer Screening	Breast cancer screening	1
COL	Colorectal Cancer Screening—Total	Colorectal cancer screening	1
CCS	Cervical Cancer Screening	Cervical cancer screening	1
<b>Other Preventive Services</b>			
CHL	Chlamydia Screening in Women—Total	Chlamydia screening	1
FVA	Flu Vaccinations for Adults Ages 18-64	Flu shots	1
<b>TREATMENT</b>			
<b>Respiratory</b>			
AMR	Asthma Medication Ratio—Total	Asthma control	1
CWP	Appropriate Testing for Pharyngitis—Total	Appropriate testing and care for a sore throat	1

	Measure Name	Display Name	Weight*
URI	Appropriate Treatment for Upper Respiratory Infection—Total	Appropriate antibiotic use for colds	1
AAB	Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis—Total	Appropriate antibiotic use for acute bronchitis/bronchiolitis	1
PCE	Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid	Steroid after hospitalization for acute COPD	1
	Pharmacotherapy Management of COPD Exacerbation—Bronchodilator	Bronchodilator after hospitalization for acute COPD	1
<b>Diabetes</b>			
BPD	Blood Pressure Control (<140/90) for Patients With Diabetes ( <b>NEW MEASURE</b> )	Patients with diabetes—blood pressure control (140/90)	3
EED	Eye Exam for Patients With Diabetes ( <b>NEW MEASURE</b> )	Patients with diabetes—eye exams	1
HBD	Hemoglobin A1c Control for Patients With Diabetes —HbA1c Control (<8%) ( <b>NEW MEASURE</b> )	Patients with diabetes—glucose control	3
SPD	Statin Therapy for Patients With Diabetes—Received Statin Therapy	Patients with diabetes—received statin therapy	1
	Statin Therapy for Patients With Diabetes—Statin Adherence 80%	Patients with diabetes—statin adherence 80%	1
KED	Kidney Health Evaluation for Patients with Diabetes—Total ( <b>NEW MEASURE</b> )	Patients with diabetes—kidney health evaluation	1
<b>Heart Disease</b>			
SPC	Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total	Patients with cardiovascular disease—received statin therapy	1
	Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total	Patients with cardiovascular disease—statin adherence 80%	1
CBP	Controlling High Blood Pressure	Controlling high blood pressure	3
<b>Behavioral Health—Care Coordination</b>			
FUH	Follow-Up After Hospitalization for Mental Illness—7 days—Total	Follow-up after hospitalization for mental illness	1
FUM	Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total	Follow-up after ED for mental illness	1
FUA	Follow-Up After Emergency Department Visit for Substance Use—7 days—Total	Follow-up after ED for substance use disorder	1
FUI	Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total	Follow-up after high-intensity care for substance use disorder	1
<b>Behavioral Health—Medication Adherence</b>			
SAA	Adherence to Antipsychotic Medications for Individuals With Schizophrenia	Adherence to antipsychotic medications for individuals with schizophrenia	1
AMM	Antidepressant Medication Management—Effective Continuation Phase Treatment	Patients with a new episode of depression—medication adherence for 6 months	1
POD	Pharmacotherapy for Opioid Use Disorder—Total	Patients with opioid use disorder—medication adherence for 6 months	1

Measure Name		Display Name	Weight*
<b>Behavioral Health—Access, Monitoring and Safety</b>			
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics—Blood Glucose and Cholesterol Testing—Total	Cholesterol and blood sugar testing for youth on antipsychotic medications	1
APP	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics—Total	First-line psychosocial care for youth on antipsychotic medications	1
ADD	Follow-Up Care for Children Prescribed ADHD Medication—Continuation & Maintenance Phase	Continued follow-up after ADHD diagnosis	1
IET	Initiation and Engagement of Substance Use Disorder Treatment—Engagement of SUD Treatment—Total	Substance use disorder treatment engagement	1
<b>Risk-Adjusted Utilization</b>			
AHU	Acute Hospital Utilization—Observed-to-Expected Ratio—Total Acute—Total	Acute hospital utilization	1
PCR	Plan All-Cause Readmissions—Observed-to-Expected Ratio—18-64 years	Plan all-cause readmissions	1
EDU	Emergency Department Utilization—Observed-to-Expected Ratio—Total	Emergency department utilization	1
<b>Overuse of Opioids</b>			
HDO	Use of Opioids at High Dosage	Avoiding opioids at high dosage	1
UOP	Use of Opioids from Multiple Providers—Multiple Prescribers and Multiple Pharmacies	Avoiding opioids from multiple prescribers and multiple pharmacies	1
COU	Risk of Continued Opioid Use—31-day rate—Total	Avoiding potentially risky continued opioid use	1
<b>Other Treatment Measures</b>			
LBP	Use of Imaging Studies for Low Back Pain—Total	Appropriate use of imaging studies for low back pain	1

### HEDIS/CAHPS/HOS Measures Required for HP Accreditation—Medicare

*HEDIS MY 2022 (Reporting Year 2023); CAHPS MY 2021 (Reporting Year 2022);  
HOS MY 2021 (Reporting Year 2022)*

Measure Name		Display Name	Weight*
<b>PATIENT EXPERIENCE</b>			
<b>Getting Care</b>			
	Getting Needed Care (Usually + Always)	Getting care easily	1.5
	Getting Care Quickly (Usually + Always)	Getting care quickly	1.5
<b>Satisfaction With Plan Physicians</b>			
	Rating of Personal Doctor (9 + 10)	Rating of primary care doctor	1.5
	Rating of Specialist Seen Most Often (9 + 10)	Rating of specialists	1.5
	Coordination of Care (Usually + Always)	Coordination of care	1.5
<b>Satisfaction With Plan and Plan Services</b>			
	Rating of Health Plan (9 + 10)	Rating of health plan	1.5
	Rating of All Health Care (9 + 10)	Rating of care	1.5

Measure Name		Display Name	Weight*
<b>PREVENTION AND EQUITY</b>			
<b>Cancer Screening</b>			
BCS	Breast Cancer Screening—Total	Breast cancer screening	1
COL	Colorectal Cancer Screening—Total	Colorectal cancer screening	1
<b>Other Preventive Services</b>			
FVO	Flu Vaccinations for Adults Ages 65 and Older	Flu shots for adults ages 65 and older	1
PNU	Pneumococcal Vaccination Status for Older Adults	Pneumonia shots for adults ages 65 and older	1
<b>Equity</b>			
RDM	Race/Ethnicity Diversity of Membership <i>(NEW MEASURE)</i>	Race and ethnicity of members	0.5
<b>TREATMENT</b>			
<b>Respiratory</b>			
CWP	Appropriate Testing for Pharyngitis—Total <i>(NEW MEASURE)</i>	Appropriate testing and care for a sore throat	1
URI	Appropriate Treatment for Upper Respiratory Infection—Total <i>(NEW MEASURE)</i>	Appropriate antibiotic use for colds	1
AAB	Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis—Total <i>(NEW MEASURE)</i>	Appropriate antibiotic use for acute bronchitis/bronchiolitis	1
PCE	Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid	Steroid after hospitalization for acute COPD	1
	Pharmacotherapy Management of COPD Exacerbation—Bronchodilator	Bronchodilator after hospitalization for acute COPD	1
<b>Diabetes</b>			
BPD	Blood Pressure Control (<140/90) for Patients With Diabetes <i>(NEW MEASURE)</i>	Patients with diabetes—blood pressure control (140/90)	3
EED	Eye Exam for Patients With Diabetes <i>(NEW MEASURE)</i>	Patients with diabetes—eye exams	1
HBD	Hemoglobin A1c Control for Patients With Diabetes—HbA1c Control (<8%) <i>(NEW MEASURE)</i>	Patients with diabetes—glucose control	3
SPD	Statin Therapy for Patients With Diabetes—Received Statin Therapy	Patients with diabetes—received statin therapy	1
	Statin Therapy for Patients With Diabetes—Statin Adherence 80%	Patients with diabetes—statin adherence 80%	1
KED	Kidney Health Evaluation for Patients with Diabetes—Total <i>(NEW MEASURE)</i>	Patients with diabetes—kidney health evaluation	1
<b>Heart Disease</b>			
SPC	Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total	Patients with cardiovascular disease—received statin therapy	1
	Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total	Patients with cardiovascular disease—statin adherence 80%	1

Measure Name		Display Name	Weight*
CBP	Controlling High Blood Pressure	Controlling high blood pressure	3
<b>Behavioral Health—Care Coordination</b>			
FUH	Follow-Up After Hospitalization for Mental Illness—7 days—Total	Follow-up after hospitalization for mental illness	1
FUM	Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total	Follow-up after ED for mental illness	1
FUA	Follow-Up After Emergency Department Visit for Substance Use—7 days—Total	Follow-up after ED for substance use disorder	1
FUI	Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total	Follow-up after high-intensity care for substance use disorder	1
<b>Behavioral Health—Medication Adherence</b>			
SAA	Adherence to Antipsychotic Medications for Individuals With Schizophrenia	Adherence to antipsychotic medications for individuals with schizophrenia	1
AMM	Antidepressant Medication Management—Effective Continuation Phase Treatment	Patients with a new episode of depression—medication adherence for 6 months	1
<b>Behavioral Health—Access, Monitoring and Safety</b>			
IET	Initiation and Engagement of Substance Use Disorder Treatment—Engagement of SUD Treatment—Total	Substance use disorder treatment engagement	1
<b>Patient Safety and Treatment for Older Adults</b>			
PSA	Non-Recommended PSA-Based Screening in Older Men	Avoiding non-recommended prostate cancer screening in older men	1
DDE	Potentially Harmful Drug Disease Interactions in Older Adults—Total	Avoiding potentially harmful drug and disease interactions in older adults	1
DAE	Use of High-Risk Medications in Older Adults—Total Rate (Rate 3) ( <b>NEW RATE</b> )	Avoiding high-risk medications for older adults	1
FRM	Fall Risk Management	Managing risk of falls	1
OMW	Osteoporosis Management in Women Who Had a Fracture	Managing osteoporosis in women after fracture	1
OSW	Osteoporosis Screening in Older Women ( <b>NEW MEASURE</b> )	Screening for osteoporosis in women	1
<b>Care Coordination</b>			
FMC	Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions—65+ years	Follow-up after ED for multiple high-risk chronic conditions	1
TRC	Transitions of Care—Notification of Inpatient Admission—65+ years	Transitions of Care—notification of inpatient admission	1
	Transitions of Care—Receipt of Discharge Information—65+ years	Transitions of Care—receipt of discharge information	1
	Transitions of Care—Patient Engagement After Inpatient Discharge—65+ years	Transitions of Care—patient engagement after inpatient discharge	1
	Transitions of Care—Medication Reconciliation Post-Discharge—65+ years	Transitions of Care—medication reconciliation post-discharge	1

Measure Name		Display Name	Weight*
<b>Risk-Adjusted Utilization</b>			
PCR	Plan All-Cause Readmissions—Observed-to-Expected Ratio—65+ years	Plan all-cause readmissions	1
EDU	Emergency Department Utilization—Observed-to-Expected Ratio—65+ years	Emergency department utilization	1
AHU	Acute Hospital Utilization—Observed-to-Expected Ratio—Total Acute—65+ years	Acute hospital utilization	1
HPC	Hospitalization for Potentially Preventable Complications—Total ACSC—Observed-to-Expected Ratio—Total	Hospitalization for potentially preventable complications	1
HFS	Hospitalization Following Discharge From a Skilled Nursing Facility—30-Day—Total	Hospitalization following SNF discharge	1
<b>Overuse of Opioids</b>			
HDO	Use of Opioids at High Dosage	Avoiding opioids at high dosage	1
UOP	Use of Opioids from Multiple Providers—Multiple Prescribers and Multiple Pharmacies	Avoiding opioids from multiple prescribers and multiple pharmacies	1
COU	Risk of Continued Opioid Use—31-day rate—Total	Avoiding potentially risky continued opioid use	1

### HEDIS/CAHPS Measures Required for HP Accreditation—Medicaid

HEDIS MY 2022 & CAHPS MY 2022 (Reporting Year 2023)

Measure Name		Display Name	Weight*
<b>PATIENT EXPERIENCE</b>			
<b>Getting Care</b>			
	Getting Needed Care (Usually + Always)	Getting care easily	1.5
	Getting Care Quickly (Usually + Always)	Getting care quickly	1.5
<b>Satisfaction With Plan Physicians</b>			
	Rating of Personal Doctor (9 + 10)	Rating of primary care doctor	1.5
<b>Satisfaction With Plan and Plan Services</b>			
	Rating of Health Plan (9 + 10)	Rating of health plan	1.5
	Rating of All Health Care (9 + 10)	Rating of care	1.5
<b>PREVENTION AND EQUITY</b>			
<b>Children and Adolescent Well-Care</b>			
ADV	Annual Dental Visit—Total	Dental visits	1
CIS	Childhood Immunization Status—Combination 10	Childhood immunizations	3
IMA	Immunizations for Adolescents—Combination 2	Adolescent immunizations	3
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents—BMI Percentile—Total	BMI percentile assessment	1

Measure Name		Display Name	Weight*
<b>Women's Reproductive Health</b>			
PPC	Prenatal and Postpartum Care—Timeliness of Prenatal Care	Prenatal checkups	1
	Prenatal and Postpartum Care—Postpartum Care	Postpartum care	1
PRS-E	Prenatal Immunization Status—Combination Rate	Prenatal immunizations	1
<b>Cancer Screening</b>			
BCS	Breast Cancer Screening	Breast cancer screening	1
CCS	Cervical Cancer Screening	Cervical cancer screening	1
<b>Equity</b>			
RDM	Race/Ethnicity Diversity of Membership <i>(NEW MEASURE)</i>	Race and ethnicity of members	0.5
<b>Other Preventive Services</b>			
CHL	Chlamydia Screening in Women—Total	Chlamydia screening	1
FVA	Flu Vaccinations for Adults Ages 18-64	Flu shots	1
MSC	Medical Assistance With Smoking and Tobacco Use Cessation—Advising Smokers and Tobacco Users to Quit	Smoking advice	1
<b>TREATMENT</b>			
<b>Respiratory</b>			
AMR	Asthma Medication Ratio—Total	Asthma control	1
CWP	Appropriate Testing for Pharyngitis—Total	Appropriate testing and care for a sore throat	1
URI	Appropriate Treatment for Upper Respiratory Infection—Total	Appropriate antibiotic use for colds	1
AAB	Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis—Total	Appropriate antibiotic use for acute bronchitis/bronchiolitis	1
PCE	Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid	Steroid after hospitalization for acute COPD	1
	Pharmacotherapy Management of COPD Exacerbation—Bronchodilator	Bronchodilator after hospitalization for acute COPD	1
<b>Diabetes</b>			
BPD	Blood Pressure Control (<140/90) for Patients With Diabetes <i>(NEW MEASURE)</i>	Patients with diabetes—blood pressure control (140/90)	3
EED	Eye Exam for Patients With Diabetes <i>(NEW MEASURE)</i>	Patients with diabetes—eye exams	1
HBD	Hemoglobin A1c Control for Patients With Diabetes—HbA1c Control (<8%) <i>(NEW MEASURE)</i>	Patients with diabetes—glucose control	3

Measure Name		Display Name	Weight*
SPD	Statin Therapy for Patients With Diabetes—Received Statin Therapy	Patients with diabetes—received statin therapy	1
	Statin Therapy for Patients With Diabetes—Statin Adherence 80%	Patients with diabetes—statin adherence 80%	1
KED	Kidney Health Evaluation for Patients with Diabetes—Total ( <b>NEW MEASURE</b> )	Patients with diabetes—kidney health evaluation	1
<b>Heart Disease</b>			
SPC	Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total	Patients with cardiovascular disease—received statin therapy	1
	Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total	Patients with cardiovascular disease—statin adherence 80%	1
CBP	Controlling High Blood Pressure	Controlling high blood pressure	3
<b>Behavioral Health—Care Coordination</b>			
FUH	Follow-Up After Hospitalization for Mental Illness—7 days	Follow-up after hospitalization for mental illness	1
FUM	Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total	Follow-up after ED for mental illness	1
FUA	Follow-Up After Emergency Department Visit for Substance Use—7 days—Total	Follow-up after ED for substance use disorder	1
FUI	Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total	Follow-up after high-intensity care for substance use disorder	1
<b>Behavioral Health—Medication Adherence</b>			
SAA	Adherence to Antipsychotic Medications for Individuals With Schizophrenia	Adherence to antipsychotic medications for individuals with schizophrenia	1
AMM	Antidepressant Medication Management—Effective Continuation Phase Treatment	Patients with a new episode of depression—medication adherence for 6 months	1
POD	Pharmacotherapy for Opioid Use Disorder—Total	Patients with opioid use disorder—medication adherence for 6 months	1
<b>Behavioral Health—Access, Monitoring and Safety</b>			
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics—Blood Glucose and Cholesterol Testing—Total	Cholesterol and blood sugar testing for youth on antipsychotic medications	1
ADD	Follow-Up Care for Children Prescribed ADHD Medication—Continuation & Maintenance Phase	Continued follow-up after ADHD diagnosis	1
SSD	Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications	Diabetes screening for individuals with schizophrenia or bipolar disorder	1
APP	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics—Total	First-line psychosocial care for youth on antipsychotic medications	1
IET	Initiation and Engagement of Substance Use Disorder Treatment—Engagement of SUD Treatment—Total	Substance use disorder treatment engagement	1

Measure Name		Display Name	Weight*
<b>Risk-Adjusted Utilization</b>			
PCR	Plan All-Cause Readmissions—Observed-to-Expected Ratio—18-64 years	Plan all-cause readmissions	1
<b>Overuse of Opioids</b>			
HDO	Use of Opioids at High Dosage	Avoiding opioids at high dosage	1
UOP	Use of Opioids from Multiple Providers—Multiple Prescribers and Multiple Pharmacies	Avoiding opioids from multiple prescribers and multiple pharmacies	1
COU	Risk of Continued Opioid Use—31-day rate—Total	Avoiding potentially risky continued opioid use	1
<b>Other Treatment Measures</b>			
LBP	Use of Imaging Studies for Low Back Pain—Total	Appropriate use of imaging studies for low back pain	1

\*The **weight** column indicates the weight of the item (maximum value = 3) in the overall score calculation.

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

CAHPS® is a registered trademark of the Agency for Healthcare Research and Quality (AHRQ).