

# MY 2025 HEDIS® Validations

This document provides an overview of the HEDIS submission validations performed by NCQA's Interactive Data Submission System (IDSS) as part of the HEDIS submission process. It is accompanied by a validation metadata dictionary referenced by a subset of the validations. For cross reference, IDSS validation errors and warnings include the name of the applicable validation rules.

## Validation Rules

---

The tables below specify the validations implemented for the MY2025 IDSS release. They use the common requirements verbiage where violation of a “must” will result in an error that needs to be corrected before submission; and violation of a “should” will result in a warning that should be reviewed before final submission. Validations in Table 1 that are enforced through the XML schema are fatal (see footnote): processing of the XML submission file is aborted. In addition, three other validations in Table 1 are marked as fatal. When encountered, only further validations for the impacted measure are aborted. This means that as fatal errors are resolved further errors and warnings may be identified.

Where the validation specifications refer to “reported”, these include any measure, indicator, or rate for which a plan provided data in the Submission XML file, even if the rate receives a Small Denominator (NA) audit designation or status.

Some validation specifications include references to validation metadata provided in the accompanying dictionary and cross referenced in the appendix; references to specific measures by their MeasureCodes; and references to Variables and Metrics by their names as used in the Submission and Result XML files and Data Dictionaries.

## Shared Data Element Validations

In the HEDIS Technical Specifications for Health Plans, the “Data Elements for Reporting” section in each measure specification indicates which data elements are shared across multiple metrics and/or stratifications.

For shared data elements, plans must report the same value for each reported indicator. A different value will result in an IDSS validation error. See the Shared\* metadata in the accompanying validation metadata dictionary for all affected indicators.

Table 1: General Validations

| Rule                                  | Definition                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ConformToSchema</b>                | The Submission XML file must conform to the Submission XSD schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>ConformToDictionary</b>            | <p>The Submission XML must conform to the Submission Data Dictionary.</p> <p>Note: To limit complexity, the Submission XSD schema does not validate that all combinations of metrics and stratifications are valid and complete. All metrics and stratifications are defined in the product line specific Data Dictionaries and included in the Submission XML templates. There is no required order of metric sections within a measure, or of stratifications within a &lt;Stratification&gt; section.</p> <p>Only complete measures can be excluded from the Submission XML file to support single measure uploads, etc. See the IDSS documentation for details.</p> |
| <b>NumericValues<sup>†</sup></b>      | All plan reported values in the <Data></Data> sections must be numeric, except for CollectionMethod.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>CollectionMethod<sup>†</sup></b>   | <p>The value of CollectionMethod must be 'A', 'H', or null (blank) <sup>†</sup>.</p> <p>For reported indicators with CollectionMethodAllowed='Admin+Hybrid' the plan must report a CollectionMethod value of 'A' or 'H'.</p> <p>Note: For the Medicare-only TRC measure, indicators with metrics NotificationInpatientAdmission and ReceiptDischargeInformation only allow the Hybrid collection method. If reported, they must report CollectionMethod='H'.</p>                                                                                                                                                                                                        |
| <b>PositiveValues<sup>†</sup></b>     | All plan reported values must be greater than or equal to zero.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Integers<sup>†</sup></b>           | All plan reported numeric values must be Integers, except for OversampleRate, ExpectedCount and CountVariance.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Rounding<sup>†</sup></b>           | OversampleRate, ExpectedCount and CountVariance must be rounded to 4 decimals.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>PaddingZeroes<sup>†</sup></b>      | OversampleRate, ExpectedCount and CountVariance must be padded with zeros to 4 decimals.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>ScientificNotation<sup>†</sup></b> | Plan reported values must not use scientific notation (e.g., 1.234E+08).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>CompleteDataSection (Fatal)</b>    | <p>For reported indicators with CollectionMethodAllowed='Admin+Hybrid' metadata, and CollectionMethod='H', all data elements in a &lt;Data&gt;&lt;/Data&gt; section must have a value.</p> <p>For reported indicators with CollectionMethodAllowed='Admin+Hybrid' metadata, and CollectionMethod='A', see the AdministrativeData rule below.</p> <p>For all other reported indicators, all data elements in a &lt;Data&gt;&lt;/Data&gt; section must have a value.</p> <p>For all unreported indicators, all data elements in a &lt;Data&gt;&lt;/Data&gt; section must be unreported (blank).</p>                                                                       |
| <b>AdministrativeData (Fatal)</b>     | <p>For reported indicators with CollectionMethodAllowed='Admin+Hybrid' metadata, and CollectionMethod='A', all Administrative data elements in the &lt;Data&gt;&lt;/Data&gt; section must have a value and all Hybrid-only variables must be blank.</p> <p>For non-RES indicators:<br/>Administrative data elements (for indicators that allow the Administrative and Hybrid collection method) are: CollectionMethod, EligiblePopulation,</p>                                                                                                                                                                                                                          |

| Rule                               | Definition                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                    | <p>NumeratorByAdmin, and where present: NumeratorBySupplemental and ExclusionAdminRequired.</p> <p>Hybrid-only(!) data elements are: Denominator, ExclusionEmployeeOrDep, ExclusionValidDataErrors, MinReqSampleSize, NumeratorByAdminElig, NumeratorByMedicalRecords, OversampleRate, OversampleRecsAdded</p> <p>For RES-indicators:</p> <p>Administrative data elements (for RES indicators that allow the Administrative and Hybrid collection method) are: CollectionMethod, EligiblePopulation and Numerator.</p> <p>Hybrid-only(!) data element is: Denominator</p>                                                                |
| <b>IndicatorMetrics (Fatal)</b>    | Within a measure all data elements in all <Data></Data> sections that share the same MetricName must all be reported or must all be unreported (blank).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>NodeDuplication (Fatal)</b>     | <p>For Measures with RES that are missing stratifications but have data will trigger this. The message will state what Measure/Metric/Specific data snippets are duplicated because that data is being confused in IDSS with XML that's part of the base measure that it does not know what to do with.</p> <p><b>Example:</b></p> <p>For GSD, if you are missing Unknown RES stratification but the data is included for Collection Method, Denominator, Elig Pop, and Numerator for GreaterThan9, the system sees duplicates for GSD for those elements for the missing stratification plus the base measure for GSD GreaterThan9.</p> |
| <b>NoBenefitNoData</b>             | <p>For measures that require a special benefit (e.g., Mental Health, Pharmacy), if a plan reports that they do not provide that benefit, all data elements in the &lt;Data&gt;&lt;/Data&gt; sections must be unreported (blank).</p> <p>Note: The Benefit metadata element is an XML boolean. Valid values are: true, false, 1, 0. "True" and "False" are not valid XML boolean values.</p>                                                                                                                                                                                                                                              |
| <b>MedicareStars</b>               | <p>All Medicare submissions for reporting to CMS should report the measures required for the CMS MA and SNP specific Star Ratings program (see CMS publications).</p> <p>Note: the logic does not distinguish between "Section 1876 Cost" contracts and others, but does distinguish SNP and MMP HMO Demonstration plans</p>                                                                                                                                                                                                                                                                                                             |
| <b>HPR Measures</b>                | All submissions to maintain or achieve HEDIS Health Plan Accreditation should report the measures required for accreditation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>RaceEthnicityStratification</b> | <p>For all reported race and ethnicity stratified metrics, the total values for all data elements (InitialPopulation, Exclusions, EligiblePopulation, Denominator, Numerator) across the race stratifications must match the total values across the ethnicity stratifications and also match the total indicator, which may itself be stratified by e.g., age.</p> <p>For non-ECDS measures, Race and Ethnicity Numerator values are compared to the sums of the NumeratorByAdmin, NumeratorBySupplemental and NumeratorByMedicalRecords, if present, of the total indicator.</p>                                                       |

† These rules are implemented in the submission XSD schema.

Table 2: Hybrid Measure Validations

| Rule                                 | Definition                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CYAR</b>                          | NumeratorByAdminElig must be less than or equal to EligiblePopulation.<br>Note: This rule only applies to Indicators for which CYAR is calculatedAs of MY2022, NumeratorByAdminElig is a stratified value                                                                                                                                                                                    |
| <b>HybridDenominator</b>             | Denominator must be less than or equal to EligiblePopulation.<br>Note: Hybrid reported SES and RES-indicators are excluded from this rule.                                                                                                                                                                                                                                                   |
| <b>HybridDenominatorWarning</b>      | For all Hybrid reported SES stratifications, the Denominator should be less than or equal to EligiblePopulation.                                                                                                                                                                                                                                                                             |
| <b>MRSS</b>                          | MinReqSampleSize should be less than or equal to EligiblePopulation.<br>For the WCC, TRC, and EED measures this validation only applies to the IDSS calculated total age and total SES stratifications, not to the plan-reported individual stratifications.                                                                                                                                 |
| <b>OversampleRecsAdded</b>           | If OversampleRate is zero then OversampleRecsAdded must be zero.                                                                                                                                                                                                                                                                                                                             |
| <b>OversampleRate</b>                | If MinReqSampleSize is equal to EligiblePopulation then OversampleRate should be zero.                                                                                                                                                                                                                                                                                                       |
| <b>SharedDenominator<sup>1</sup></b> | All reported CollectionMethodAllowed='Admin+Hybrid' indicators within the same measure that are reported with CollectionMethod='H' with the same SharedDenominator=# value must use the same Denominator.                                                                                                                                                                                    |
| <b>SharedSample</b>                  | All reported CollectionMethodAllowed='Admin+Hybrid' indicators within the same measure that are reported with CollectionMethod='H' with the same SharedSample=# value must use the same values for the Hybrid sample definition data elements: MinReqSampleSize, OversampleRate, ExclusionValidDataErrors, ExclusionEmployeeOrDep, and OversampleRecsAdded (if specified for the indicator). |
| <b>NumeratorByAdminElig</b>          | NumeratorByAdminElig should be greater than or equal to NumeratorByAdmin (with threshold of numbyadmin greater than or equal to 5 of the numbyadminelig data element, this error will not appear, if greater than 5 the validation will appear)                                                                                                                                              |

Table 3: General Measure Validations

| Rule               | Definition                                                                                                                                                             |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Proportions</b> | All reported indicators with Proportion='Y' must have a Rate greater than or equal to 0.0 and less than or equal to 1.0 (100% or 1000‰) or blank if the denominator=0. |
| <b>BlankCombos</b> | For all indicators with Combo=#, if any indicator within the same measure with a matching InCombo=# value is not reported, the Combo must be not reported.             |

<sup>1</sup> Note the same validation rule is used for ECDS measures and HFS.

| Rule                            | Definition                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>SmallerCombos</b>            | For all reported indicators with Combo=#, the Rate must be smaller than or equal to the Rates of all indicators within the same measure with a matching InCombo=#.                                                                                                                                                                                 |
| <b>StrictFollowUp</b>           | For all reported indicators with NumeratorIsEligiblePopulation=#, the Numerator must be equal to the EligiblePopulation of the indicator within the same measure with a matching EligiblePopulationIsNumerator=# value.                                                                                                                            |
| <b>ScreeningFollowUp</b>        | For all reported indicators with Screening=#, the Numerator must be greater than or equal to the Denominator of the indicator within the same measure with a matching FollowUp=#.                                                                                                                                                                  |
| <b>EligiblePopulationSubset</b> | For all reported indicators with EligiblePopulationLTE=#, the EligiblePopulation must be Less Than or Equal to the EligiblePopulation of the indicator(s) within the same measure with a matching EligiblePopulationGTE=#.                                                                                                                         |
| <b>NumeratorSubset</b>          | For all reported indicators with NumeratorLTE=#, the Numerator must be Less Than or Equal to the Numerator of the indicator(s) within the same measure with a matching NumeratorGTE=#.<br><br>Note: for Admin/Hybrid measures the Numerator is the sum of the NumeratorByAdmin, NumeratorBySupplemental and NumeratorByMedicalRecords, if present. |
| <b>NumeratorSubsetWarning</b>   | For all reported indicators with NumeratorWarningLTE=#, the Numerator should be Less Than or Equal to the Numerator of the indicator(s) within the same measure with a matching NumeratorWarningGTE=#.                                                                                                                                             |
| <b>LdmCompleteness</b>          | For the LDM measure, the sum of MemberCounts reported for the <WrittenPreferred> metric must be equal to the sum of MemberCounts reported for the <SpokenPreferred> metric and the <OtherPreferred> metric.                                                                                                                                        |
| <b>RdmCompleteness</b>          | For the RDM measure, the sum of the MemberCounts reported for the <RaceEthnicity> metric must be equal to the sum of the MemberCounts reported for the <RaceSource> metric and for the <EthnicitySource> metric.                                                                                                                                   |
| <b>LdmRdmMatch</b>              | The sum of MemberCounts reported for any of the LDM <WrittenPreferred>, <SpokenPreferred> or <OtherPreferred> metrics should be equal to the sum of MemberCounts reported for any of the RDM metrics.                                                                                                                                              |
| <b>EnpMissingMeasure</b>        | The ENP measure must be reported for all submissions.                                                                                                                                                                                                                                                                                              |
| <b>SharedCollectionMethod</b>   | All reported indicators within the same measure with the same SharedCollectionMethod=# must use the same CollectionMethod.                                                                                                                                                                                                                         |
| <b>SharedEligiblePopulation</b> | All reported indicators within the same measure, reported with CollectionMethod='A', with the same SharedEligiblePopulation=#                                                                                                                                                                                                                      |

| Rule                                  | Definition                                                                                                                                                                                               |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                       | value must use the same value for the EligiblePopulation and ExclusionAdminRequired (if specified for the measure)                                                                                       |
| <b>DdeTotalEligiblePopulation</b>     | For all reported DDE measures, the sum of the EligiblePopulation for the HistoryOfFalls, Dementia and ChronicKidneyDisease metrics must be equal to the EligiblePopulation for the Total metric.         |
| <b>DdeTotalExclusionAdminRequired</b> | For all reported DDE measures, the sum of the ExclusionAdminRequired for the HistoryOfFalls, Dementia and ChronicKidneyDisease metrics must be equal to the ExclusionAdminRequired for the Total metric. |
| <b>DdeTotalNumeratorByAdmin</b>       | For all reported DDE measures, the sum of the NumeratorByAdmin for the HistoryOfFalls, Dementia and ChronicKidneyDisease metrics must be equal to the NumeratorByAdmin for the Total metric.             |

*Table 4: ECDS Specific Validation (ECDS measures are also included implicitly in other validation rules through their metadata). Note that ECDS indicators can be identified by their ECDS=Y metadata.*

| Rule                                 | Definition                                                                                                                                                                                                                       |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>SharedInitialPopulation</b>       | All reported indicators within the same measure with the same SharedInitialPopulation=# value must use the same value for each InitialPopulation[By*].                                                                           |
| <b>SharedExclusions</b>              | All reported indicators within the same measure with the same SharedExclusions=# value must use the same value for each Exclusions[By*].                                                                                         |
| <b>SharedDenominator<sup>2</sup></b> | All reported indicators within the same measure with the same SharedDenominator=# value must use the same Denominator.                                                                                                           |
| <b>InitialPopulationSubset</b>       | For all reported indicators with InitialPopulationLTE=#, the InitialPopulation[By*] must be Less Than or Equal to the InitialPopulation[By*] of the indicator(s) within the same measure with a matching InitialPopulationGTE=#. |
| <b>ExclusionsSubset</b>              | For all reported indicators with ExclusionsLTE=#, the Exclusions[By*] must be Less Than or Equal to the Exclusions[By*] of the indicator(s) within the same measure with a matching ExclusionsGTE=#.                             |
| <b>DenominatorSubset</b>             | For all reported indicators with DenominatorLTE=#, the Denominator must be Less Than or Equal to the Denominator of the indicator(s) within the same measure with a matching DenominatorGTE=#.                                   |
| <b>DenomInitPopExclusions</b>        | For all reported indicators with DenomEqualsInitPopMinusExclusion='Y', the Denominator must equal the InitialPopulation minus Exclusions.                                                                                        |

<sup>2</sup> Note the same validation rule is used for Hybrid measures and HFS

|                                 |                                                                                                                                                               |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 | Note: this validation does not apply at the source-system level, because exclusions may originate from a different source-system than the initial population. |
| <b>TotalAndSESCountMismatch</b> | <indicator> must be equal to the SES stratification Count for same field   Metric Name <BCS-E or COL-E>. Total measure value – X and SES total value – Y      |

Table 5: Risk-Adjusted Utilization (RAU) Measure Specific Validations

| Rule                           | Definition                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CompleteMeasures</b>        | RAU measures must be completely reported or completely unreported.                                                                                                                                                                                                                                                                                  |
| <b>MemberCountSubset</b>       | For all RAU indicators with MemberCountLTE=#, the MemberCount must be Less Than or Equal to the MemberCount of the indicator with a matching MemberCountGTE=#.<br><br>Note: For EDH, ensures the insulin MemberCount is Less Than or Equal to the diabetes MemberCount.                                                                             |
| <b>PcrOutlierRates</b>         | For the PCR measure, the OutlierRate must be greater than or equal to 0.0 and should be less than or equal to 1.0 (1000‰).<br><br>Note: an inconsistency in the date specified to determine a member's age between the plan population and outlier logic may in rare cases result in outlier rates exceeding 1.0 (1000‰).                           |
| <b>RauProportions</b>          | For all reported PCR and HFS indicators, the ObservedRate and ExpectedRate must be less than or equal to 1.0 (100%).                                                                                                                                                                                                                                |
| <b>RauMinimumExpectedRate</b>  | For all reported RAU indicators, the ExpectedRate must be null or must be greater than the value of MinimumExpectedRate.<br><br>Note: ExpectedRate is null if it involves a division by zero.                                                                                                                                                       |
| <b>RauMinimumCountVariance</b> | For all reported RAU indicators with an ExpectedCount greater than 0, the CountVariance must be larger than the value of MinimumCountVariance.<br><br>Note:<br>$\text{CVR (count variance rate)} = \text{CountVariance} / \text{NonOutlierMemberCount}$ for AHU, EDU, HPC.<br><br>$\text{CVR} = \text{CountVariance} / \text{MemberCount}$ for EDH. |
| <b>RauZeroDenominator</b>      | For all reported PCR and HFS indicators with Denominator=0, the ObservedCount, ExpectedCount and CountVariance must be 0.                                                                                                                                                                                                                           |
| <b>RauZeroMembers</b>          | For all reported AHU, EDU and HPC indicators with NonOutlierMemberCount=0, the ObservedCount, ExpectedCount and CountVariance must be 0.                                                                                                                                                                                                            |

|                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>RauZeroTotalObservedCount</b> | <p>For all reported RAU measures where the totals are not small denominator (NA) indicators, the total ObservedCount should be greater than zero.</p> <p>This validation only operates at the IDSS calculated total-age/gender indicators, except for PCR where the 18-64 and 65+ subtotals are validated separately.</p>                                                                                                                                                                                                                                                       |
| <b>RauNonZeroExpectedCount</b>   | For all reported AHU, EDU and HPC indicators with ExpectedCount>0, the NonOutlierMemberCount must be greater than 0.                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>PcrNonZeroExpectedCount</b>   | <p>For all reported PCR indicators with ExpectedCount&gt;0, (MemberCount – OutlierMemberCount) should be greater than 0.</p> <p>Note: an inconsistency in the date specified to determine a member's age between the plan population and outlier logic may in rare cases result in the violation of this rule.</p> <p>Note: This validation will not appear if PCR is NA (small denominator)</p>                                                                                                                                                                                |
| <b>PcrSesDenominators</b>        | <p>For all reported Medicare PCR measures, the sum of the Denominators for the &lt;SES&gt; metric in the Age=18-64 stratification must be equal to the sum of the Denominators for the &lt;PlanAllCauseReadmissions&gt; metric in the Age=18-44,45-54 and 55-64 stratifications.</p> <p>And the sum of the Denominators for the &lt;SES&gt; metric in the Age=65+ stratification must be equal to the sum of the Denominators for the &lt;PlanAllCauseReadmissions&gt; metric in the Age=65-74,75-84 and 85+ stratifications.</p>                                               |
| <b>PcrSesObservedCount</b>       | <p>For all reported Medicare PCR measures, the sum of the ObservedCounts for the &lt;SES&gt; metric in the Age=18-64 stratification must be equal to the sum of the ObservedCounts for the &lt;PlanAllCauseReadmissions&gt; metric in the Age=18-44,45-54 and 55-64 stratifications.</p> <p>And the sum of the ObservedCounts for the &lt;SES&gt; metric in the Age=65+ stratification must be equal to the sum of the ObservedCounts for the &lt;PlanAllCauseReadmissions&gt; metric in the Age=65-74,75-84 and 85+ stratifications.</p>                                       |
| <b>PcrSesExpectedCount</b>       | <p>For all reported Medicare PCR measures, the sum of the ExpectedCounts for the &lt;SES&gt; metric in the Age=18-64 stratification must be within 0.001 (inclusive) of the sum of the ExpectedCounts for the &lt;PlanAllCauseReadmissions&gt; metric in the Age=18-44,45-54 and 55-64 stratifications.</p> <p>And the sum of the ExpectedCounts for the &lt;SES&gt; metric in the Age=65+ stratification must be within 0.001 (inclusive) of the sum of the ExpectedCounts for the &lt;PlanAllCauseReadmissions&gt; metric in the Age=65-74,75-84 and 85+ stratifications.</p> |
| <b>PcrSesCountVariance</b>       | For all reported Medicare PCR measures, the sum of the CountVariances for the <SES> metric in the Age=18-64 stratification must be within 0.001 (inclusive) of the sum of the CountVariances for the <PlanAllCauseReadmissions> metric in the Age=18-44,45-54 and 55-64 stratifications.                                                                                                                                                                                                                                                                                        |



|                                      |                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                      | And the sum of the CountVariances for the <SES> metric in the Age=65+ stratification must be within 0.001 (inclusive) of the sum of the CountVariances for the <PlanAllCauseReadmissions> metric in the Age=65-74, 75-84 and 85+ stratifications.                                                                                                                       |
| <b>HpcMemberCount</b>                | For all reported HPC measures, the sum of NonOutlierMemberCount and OutlierMemberCount must be the same for matching Age/Gender stratifications across the <Acute>, <Chronic> and <Total> metrics.                                                                                                                                                                      |
| <b>SharedDenominator<sup>3</sup></b> | All HFS indicators with the same SharedDenominator=# value must use the same Denominator.<br><br>Note: ensures matching Denominators for the 30-Day and 60-Day indicators at matching age stratifications.                                                                                                                                                              |
| <b>ObservedCountSubset</b>           | For all indicators with ObservedCountLTE=#, the ObservedCount must be Less Than or Equal to the ObservedCount of the indicator with a matching ObservedCountGTE=#.                                                                                                                                                                                                      |
| <b>OutlierLimit</b>                  | For all reported AHU and EDU indicators the ObservedRate must be less than or equal to the value of OutlierLimit.                                                                                                                                                                                                                                                       |
| <b>LowerUpperLimit</b>               | For all reported HPC and EDH indicators that are not small denominator (NA) indicators, the ObservedRate should be less than or equal to the value of ObservedRateUpperLimit.<br><br>For all reported AHU, EDU and HPC indicators that are not small denominator (NA) indicators, the ExpectedRate should be less than or equal to the value of ExpectedRateUpperLimit. |

Table 6: Utilization Measure Specific Validations (not risk-adjusted)

| Rule                      | Definition                                                                                                               |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>SharedMemberMonths</b> | All reported indicators within the same measure with the same SharedMemberMonths=# value must use the same MemberMonths. |

## Appendix: Validation Metadata

The table below provides a crosswalk between validation metadata provided in the accompanying validation dictionary and the validation rules that reference them.

| Key                                      | Value(s)     | Table  | Rule                             |
|------------------------------------------|--------------|--------|----------------------------------|
| <b>CollectionMethodAllowed</b>           | Admin+Hybrid | 1<br>2 | CollectionMethod<br>SharedSample |
| <b>Combo</b>                             | #            | 3      | BlankCombos, SmallerCombos       |
| <b>DenomEqualsInitPopMinusExclusions</b> | Y            | 4      | DenomInitPopExclusions           |

<sup>3</sup> Note the same validation rule is used for Hybrid and ECDS measures.

| Key                           | Value(s)    | Table  | Rule                                   |
|-------------------------------|-------------|--------|----------------------------------------|
| DenominatorGTE                | #           | 4      | DenominatorSubset                      |
| DenominatorLTE                | #           | 4      | DenominatorSubset                      |
| ECDS                          | Y           | 4      | Defines ECDS indicators                |
| EligiblePopulationGTE         | #           | 3      | EligiblePopulationSubset               |
| EligiblePopulationIsNumerator | #           | 3      | StrictFollowUp                         |
| EligiblePopulationLTE         | #           | 3      | EligiblePopulationSubset               |
| ExclusionsGTE                 | #           | 4      | ExclusionsSubset                       |
| ExclusionsLTE                 | #           | 4      | ExclusionsSubset                       |
| ExpectedRateUpperLimit        | #           | 5      | LowerUpperLimit                        |
| FollowUp                      | #           | 3      | ScreeningFollowUp                      |
| InCombo                       | #[,#,#,...] | 3      | BlankCombos, SmallerCombos             |
| InitialPopulationGTE          | #           | 4      | InitialPopulationSubset                |
| InitialPopulationLTE          | #           | 4      | InitialPopulationSubset                |
| MemberCountGTE                | #           | 5      | MemberCountSubset                      |
| MemberCountLTE                | #           | 5      | MemberCountSubset                      |
| MinimumCountVariance          | #####       | 5      | RauMinimumCountVariance                |
| MinimumExpectedRate           | #####       | 5      | RauMinimumExpectedRate                 |
| NumeratorGTE                  | #[,#,#,...] | 3      | NumeratorSubset                        |
| NumeratorIsEligiblePopulation | #           | 3      | StrictFollowUp                         |
| NumeratorLTE                  | #           | 3      | NumeratorSubset                        |
| NumeratorWarningGTE           | #           | 3      | NumeratorSubsetWarning                 |
| NumeratorWarningLTE           | #           | 3      | NumeratorSubsetWarning                 |
| ObservedCountGTE              | #           | 5      | ObservedCountSubset                    |
| ObservedCountLTE              | #           | 5      | ObservedCountSubset                    |
| ObservedRateUpperLimit        | #           | 5      | LowerUpperLimit                        |
| OutlierLimit                  | #           | 5      | OutlierLimit                           |
| Proportion                    | Y           | 3      | Proportions                            |
| Screening                     | #           | 3      | ScreeningFollowUp                      |
| SharedCollectionMethod        | #           | 3      | SharedCollectionMethod                 |
| SharedDenominator             | #           | 4<br>5 | SharedDenominator<br>SharedDenominator |
| SharedEligiblePopulation      | #           | 3      | SharedEligiblePopulation               |
| SharedExclusions              | #           | 4      | SharedExclusions                       |
| SharedInitialPopulation       | #           | 4      | SharedInitialPopulation                |
| SharedMemberMonths            | #           | 6      | SharedMemberMonths                     |
| SharedSample                  | #           | 2      | SharedSample                           |

## MY 2025 HEDIS Validations

---

| Key        | Value(s) | Table | Rule            |
|------------|----------|-------|-----------------|
| UpperLimit | #        | 6     | LowerUpperLimit |

### Changelog

- Added New Fatal error – NodeDuplication
- Added New error - TotalandSESCountMismatch