

MY 2024 Measures in FHIR CQL

(AAB) Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis

(AAP) Adults' Access to Preventive/Ambulatory Health Services

(ACP) Advance Care Planning

(ADD-E) Follow-Up Care for Children Prescribed ADHD Medication **U**

(AHU) Acute Hospital Utilization

(AIS-E) Adult Immunization Status **U**

(AMM) Antidepressant Medication Management **S**

(AMR) Asthma Medication Ratio **U**

(APM-E) Metabolic Monitoring for Children and Adolescents on Antipsychotics

(APP) Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics **S U**

(ASF-E) Unhealthy Alcohol Use Screening and Follow-Up

(AXR) Antibiotic Utilization for Respiratory Conditions

(BCS-E) Breast Cancer Screening **S U**

(BPD) Blood Pressure Control for Patients With Diabetes **H**

(CBP) Controlling High Blood Pressure **S U H**

(CCS) Cervical Cancer Screening **H**

(CCS-E) Cervical Cancer Screening

(CHL) Chlamydia Screening in Women

(CIS) Childhood Immunization Status **U H**

(CIS-E) Childhood Immunization Status

(COA) Care for Older Adults **S H**

(COL-E) Colorectal Cancer Screening **S U**

(COU) Risk of Continued Opioid Use

(CRE) Cardiac Rehabilitation **S**

(CWP) Appropriate Testing for Pharyngitis

(DAE) Use of High-Risk Medications in Older Adults

(DBO) Deprescribing of Benzodiazepines in Older Adults

(DDE) Potentially Harmful Drug-Disease Interactions in Older Adults

(DMH) Diagnosed Mental Health Disorders

(DMS-E) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults

(DRR-E) Depression Remission or Response for Adolescents and Adults

(DSF-E) Depression Screening and Follow-Up for Adolescents and Adults

(DSU) Diagnosed Substance Use Disorders

(EDH) Emergency Department Visits for Hypoglycemia in Older Adults With Diabetes

(EDU) Emergency Department Utilization

(EED) Eye Exam for Patients With Diabetes **H S**

(ENP) Enrollment by Product Line

(FMC) Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions **S**

(FUA) Follow-Up After Emergency Department Visit for Substance Use **U**

(FUH) Follow-Up After Hospitalization for Mental Illness **S U**

(FUI) Follow-Up After High-Intensity Care for Substance Use Disorder

(FUM) Follow-Up After Emergency Department Visit for Mental Illness

(GSD) Glycemic Status Assessment for Patients With Diabetes (formerly HBD) **S U H**

(HDO) Use of Opioids at High Dosage

(HFS) Hospitalization Following Discharge From a Skilled Nursing Facility

(HPC) Hospitalization for Potentially Preventable Complications **S**

(IET) Initiation and Engagement of Substance Use Disorder Treatment **S U**

(IMA) Immunizations for Adolescents **U H**

(IMA-E) Immunizations for Adolescents

(KED) Kidney Health Evaluation for Patients With Diabetes

(LBP) Use of Imaging Studies for Low Back Pain

(LDM) Language Diversity of Membership

(LSC) Lead Screening in Children **H**

(OED) Oral Evaluation, Dental Services

(OMW) Osteoporosis Management in Women Who Had a Fracture **S**

(OSW) Osteoporosis Screening in Older Women

(PBH) Persistence of Beta-Blocker Treatment After a Heart Attack **S**

(PCE) Pharmacotherapy Management of COPD Exacerbation **S**

(PCR) Plan All-Cause Readmissions **S U**

(PDS-E) Postpartum Depression Screening and Follow-Up

(PND-E) Prenatal Depression Screening and Follow-Up

(POD) Pharmacotherapy for Opioid Use Disorder

(PPC) Prenatal and Postpartum Care **H**

(PRS-E) Prenatal Immunization Status

(PSA) Non-Recommended PSA-Based Screening in Older Men

(RDM) Race/Ethnicity Diversity of Membership

(SAA) Adherence to Antipsychotic Medications for Individuals With Schizophrenia

(SMC) Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia

(SMD) Diabetes Monitoring for People With Diabetes and Schizophrenia

(SNS-E) Social Need Screening and Intervention

(SPC) Statin Therapy for Patients With Cardiovascular Disease **S**

(SPD) Statin Therapy for Patients With Diabetes

(SSD) Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications

(TFC) Topical Fluoride for Children

(TRC) Transitions of Care **H S**

(UOP) Use of Opioids From Multiple Providers

(URI) Appropriate Treatment for Upper Respiratory Infection

(W30) Well-Child Visits in the First 30 Months of Life **U**

(WCC) Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents **H U**

(WCV) Child and Adolescent Well-Care Visits **U**

MY 2025 Measures in FHIR CQL

- (AAB) Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis
- (AAP) Adults' Access to Preventive/Ambulatory Health Services
- (ACP) Advance Care Planning
- (ADD-E) Follow-Up Care for Children Prescribed ADHD Medication **U**
- (AHU) Acute Hospital Utilization
- (AIS-E) Adult Immunization Status **U**
- (AMR) Asthma Medication Ratio **U**
- (APM-E) Metabolic Monitoring for Children and Adolescents on Antipsychotics
- (APP) Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics **S U**
- (ASF-E) Unhealthy Alcohol Use Screening and Follow-Up
- (AXR) Antibiotic Utilization for Respiratory Conditions
- (BCS-E) Breast Cancer Screening **S U**
- (BPC-E) Blood Pressure Control for Patients With Hypertension **New for MY 25**
- (BPD) Blood Pressure Control for Patients With Diabetes **H**
- (CBP) Controlling High Blood Pressure **S U H**
- (CCS-E) Cervical Cancer Screening
- (CHL) Chlamydia Screening in Women
- (CIS-E) Childhood Immunization Status **U**
- (COA) Care for Older Adults **S H**
- (COL-E) Colorectal Cancer Screening **S U**
- (COU) Risk of Continued Opioid Use
- (CRE) Cardiac Rehabilitation **S**
- (CWP) Appropriate Testing for Pharyngitis
- (DAE) Drugs to be Avoided in the Elderly
- (DBM-E) Documented Assessment After Mammogram **New for MY 25**
- (DBO) Deprescribing of Benzodiazepines in Older Adults
- (DDE) Potentially Harmful Drug-Disease Interactions in Older Adults
- (DMH) Diagnosed Mental Health Disorders
- (DMS-E) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults
- (DRR-E) Depression Remission or Response for Adolescents and Adults
- (DSF-E) Depression Screening and Follow-Up for Adolescents and Adults
- (DSU) Diagnosed Substance Use Disorders
- (EDH) Emergency Department Visits for Hypoglycemia in Older Adults With Diabetes
- (EDU) Emergency Department Utilization
- (EED) Eye Exam for Patients With Diabetes **S**
- (ENP) Enrollment by Product Line
- (FMA-E) Follow-Up After Abnormal Mammogram Assessment **New for MY 25**
- (FMC) Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions **S**
- (FUA) Follow-Up After Emergency Department Visit for Substance Use **U**
- (FUH) Follow-Up After Hospitalization for Mental Illness **S U**
- (FUI) Follow-Up After High-Intensity Care for Substance Use Disorder
- (FUM) Follow-Up After Emergency Department Visit for Mental Illness
- (GSD) Glycemic Status Assessment for Patients With Diabetes (formerly HBD) **S U H**
- (HDO) Use of Opioids at High Dosage
- (HFS) Hospitalization Following Discharge From a Skilled Nursing Facility
- (HPC) Hospitalization for Potentially Preventable Complications **S**
- (IET) Initiation and Engagement of Substance Use Disorder Treatment **S U**
- (IMA-E) Immunizations for Adolescents **U**
- (KED) Kidney Health Evaluation for Patients With Diabetes
- (LBP) Use of Imaging Studies for Low Back Pain
- (LDM) Language Diversity of Membership
- (LSC) Lead Screening in Children **H**
- (OED) Oral Evaluation, Dental Services
- (OMW) Osteoporosis Management in Women Who Had a Fracture **S**
- (OSW) Osteoporosis Screening in Older Women
- (PBH) Persistence of Beta-Blocker Treatment After a Heart Attack **S**
- (PCE) Pharmacotherapy Management of COPD Exacerbation **S**
- (PCR) Plan All-Cause Readmissions **S U**
- (PDS-E) Postpartum Depression Screening and Follow-Up
- (PND-E) Prenatal Depression Screening and Follow-Up
- (POD) Pharmacotherapy for Opioid Use Disorder
- (PPC) Prenatal and Postpartum Care **H**
- (PRS-E) Prenatal Immunization Status
- (PSA) Non-Recommended PSA-Based Screening in Older Men
- (RDM) Race/Ethnicity Diversity of Membership
- (SAA) Adherence to Antipsychotic Medications for Individuals With Schizophrenia
- (SMC) Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia
- (SMD) Diabetes Monitoring for People With Diabetes and Schizophrenia
- (SNS-E) Social Need Screening and Intervention
- (SPC) Statin Therapy for Patients With Cardiovascular Disease **S**
- (SPD) Statin Therapy for Patients With Diabetes
- (SSD) Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications
- (TFC) Topical Fluoride for Children
- (TRC) Transitions of Care **S H**
- (UOP) Use of Opioids From Multiple Providers
- (URI) Appropriate Treatment for Upper Respiratory Infection
- (W30) Well-Child Visits in the First 30 Months of Life **U**
- (WCC) Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents **U H**
- (WCV) Child and Adolescent Well-Care Visits **U**

MY 2026 Measures in FHIR CQL

(AAB) Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis

(AAF-E) Follow-Up After Acute and Urgent Care Visits for Asthma **New for MY 26**

(AAP) Adults' Access to Preventive/Ambulatory Health Services

(ACP) Advance Care Planning

(ADD-E) Follow-Up Care for Children Prescribed ADHD Medication **U**

(AHU) Acute Hospital Utilization

(AIS-E) Adult Immunization Status **U**

(APM-E) Metabolic Monitoring for Children and Adolescents on Antipsychotics

(APP) Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics **U**

(ASF-E) Unhealthy Alcohol Use Screening and Follow-Up

(AXR) Antibiotic Utilization for Respiratory Conditions

(BCS-E) Breast Cancer Screening **S U**

(BPC-E) Blood Pressure Control for Patients With Hypertension

(BPD) Blood Pressure Control for Patients With Diabetes **H**

(BPD-E) Blood Pressure Control for Patients With Diabetes **New for MY 26**

(CBP) Controlling High Blood Pressure **S U H**

(CCS-E) Cervical Cancer Screening

(CHL) Chlamydia Screening in Women

(CIS-E) Childhood Immunization Status **U**

(COA) Care for Older Adults **S H**

(COL-E) Colorectal Cancer Screening **S U**

(COU) Risk of Continued Opioid Use

(CRE) Cardiac Rehabilitation **S**

(CWP) Appropriate Testing for Pharyngitis

(DAE) Drugs to be Avoided in the Elderly

(DBM-E) Documented Assessment After Mammogram

(DBO) Deprescribing of Benzodiazepines in Older Adults

(DDE) Potentially Harmful Drug-Disease Interactions in Older Adults

(DDM) Disability Description of Membership **New for MY 26**

(DMH) Diagnosed Mental Health Disorders

(DMS-E) Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults

(DRR-E) Depression Remission or Response for Adolescents and Adults

(DSF-E) Depression Screening and Follow-Up for Adolescents and Adults

(DSU) Diagnosed Substance Use Disorders

(EDH) Emergency Department Visits for Hypoglycemia in Older Adults With Diabetes

(EDU) Emergency Department Utilization

(EED) Eye Exam for Patients With Diabetes **S**

(ENP) Enrollment by Product Line

(FMA-E) Follow-Up After Abnormal Mammogram Assessment

(FMC) Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions **S**

(FUA) Follow-Up After Emergency Department Visit for Substance Use **U**

(FUH) Follow-Up After Hospitalization for Mental Illness **U**

(FUI) Follow-Up After High-Intensity Care for Substance Use Disorder

(FUM) Follow-Up After Emergency Department Visit for Mental Illness

(GSD) Glycemic Status Assessment for Patients With Diabetes (formerly HBD) **S U H**

(HDO) Use of Opioids at High Dosage

(HFC) Acute Hospitalizations Following Outpatient Colonoscopy **New for MY 26**

(HFG) Acute Hospitalizations Following Outpatient General Surgery **New for MY 26**

(HFO) Acute Hospitalizations Following Outpatient Orthopedic Surgery **New for MY 26**

(HFS) Hospitalization Following Discharge From a Skilled Nursing Facility

(HFU) Acute Hospitalizations Following Outpatient Urologic Surgery **New for MY 26**

(HPC) Hospitalization for Potentially Preventable Complications **S**

(IET) Initiation and Engagement of Substance Use Disorder Treatment **S U**

(IMA-E) Immunizations for Adolescents **U**

(KED) Kidney Health Evaluation for Patients With Diabetes **S**

(LBP) Use of Imaging Studies for Low Back Pain

(LDM) Language Description of Membership

(LSC-E) Lead Screening in Children **New for MY 26**

(OED) Oral Evaluation, Dental Services

(OMW) Osteoporosis Management in Women Who Had a Fracture **S**

(OSW) Osteoporosis Screening in Older Women

(PBH) Persistence of Beta-Blocker Treatment After a Heart Attack **S**

(PCE) Pharmacotherapy Management of COPD Exacerbation **S**

(PCR) Plan All-Cause Readmissions **S U**

(PDS-E) Postpartum Depression Screening and Follow-Up

(PND-E) Prenatal Depression Screening and Follow-Up **H**

(POD) Pharmacotherapy for Opioid Use Disorder

(PPC) Prenatal and Postpartum Care **H**

(PRS-E) Prenatal Immunization Status

(PSA) Non-Recommended PSA-Based Screening in Older Men

(RDM) Race/Ethnicity Description of Membership

(SAA) Adherence to Antipsychotic Medications for Individuals With Schizophrenia

(SMC) Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia

(SMD) Diabetes Monitoring for People With Diabetes and Schizophrenia

(SNS-E) Social Need Screening and Intervention

(SPC-E) Statin Therapy for Patients With Cardiovascular Disease **S New for MY 26**

(SPD-E) Statin Therapy for Patients With Diabetes **New for MY 26**

(SSD) Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications

(TFC) Topical Fluoride for Children

(TRC) Transitions of Care **S H**

(TSC-E) Tobacco Use Screening and Cessation Intervention **New for MY 26**

(UOP) Use of Opioids From Multiple Providers

(URI) Appropriate Treatment for Upper Respiratory Infection

(W30) Well-Child Visits in the First 30 Months of Life **U**

(WCC) Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents **U H**

(WCV) Child and Adolescent Well-Care Visits **U**

